








Internet Explorer 7 Settings for CAMS-ii



Use these settings to configure Internet Explorer version 7 on the PC for CAMS-ii.



<p>1.</p>	<p>Click Start > Control Panel.</p> <p>NOTE: This is the “classic” control panel screen. If your screen does not look like this, look on the left panel for the Switch to Classic View link, then click the link.</p> <p>Your screen should now look like the screen on the right.</p> <p>Double-click the Internet Options icon.</p>	 <p>The screenshot shows the Windows Start menu for a user named 'carl'. The 'Control Panel' link is highlighted in blue. A tooltip is visible over the 'Control Panel' link, stating: 'Set Program Appearance... Default: Provides options for you to customize the appearance and functionality of your computer, add or remove programs, and set up network connections and user accounts.' The taskbar at the bottom shows the Start button, taskbar icons, and the system tray with the time 12:39 PM.</p>
<p>2.</p>	<p>The Internet Properties property sheet appears.</p> <p>Locate the <i>Browsing History</i> section</p> <p>Click Settings.</p>	 <p>The screenshot shows the 'Internet Properties' dialog box with the 'General' tab selected. The 'Browsing history' section is highlighted with a blue border. The 'Settings' button in the 'Browsing history' section is also highlighted with a blue border. Other sections visible include 'Home page', 'Search', 'Tabs', and 'Appearance'. The 'Delete...' button in the 'Browsing history' section is also visible.</p>


<p>3.</p>	<p>The Internet Files and History Settings appears.</p> <p>Click the Every time I visit the webpage option button.</p> <p>Click OK.</p>	 <p>The screenshot shows the 'Temporary Internet Files and History Settings' dialog box. The 'Temporary Internet Files' section is active, showing options for checking for newer versions of stored pages. The 'Every time I visit the webpage' option is selected and highlighted with a blue box. Other options include 'Every time I start Internet Explorer', 'Automatically', and 'Never'. Below these options, there is a 'Disk space to use' dropdown set to 1024 MB. The 'Current location' is shown as 'C:\Documents and Settings\carl\Local Settings\Temporary Internet Files\'. There are buttons for 'Move folder...', 'View objects', and 'View files'. The 'History' section is also visible, with a 'Days to keep pages in history' dropdown set to 20. At the bottom, the 'OK' button is highlighted with a blue box.</p>
-----------	---	---

<p>4.</p>	<p>The Internet Properties property sheet appears.</p> <p>Click the Security tab.</p> <p>Click the Trusted sites to highlight it.</p> <p>Click Sites.</p> <p>.</p>	 <p>The screenshot shows the 'Internet Properties' dialog box with the 'Security' tab selected. The 'Trusted sites' zone is highlighted with a blue box. A 'Sites' button is also highlighted with a blue box.</p>
<p>5.</p>	<p>The Trusted Sites screen appears.</p> <p>Click Require server verification (https:) for all sites in this zone check box to remove the check.</p> <p>Click in the Add this website to the zone" text box.</p> <p>Type <code>http://camsii</code>.</p> <p>Click Add.</p>	 <p>The screenshot shows the 'Trusted sites' dialog box. The 'Require server verification (https:) for all sites in this zone' checkbox is unchecked and highlighted with a blue box. The 'Add' button is also highlighted with a blue box.</p>

<p>6.</p>	<p>Your screen should look like this, with the <code>http://camsii</code> in the Websites text box.</p> <p>Click Close.</p>	 <p>The screenshot shows the 'Trusted sites' dialog box. At the top, there is a green checkmark and the text: 'You can add and remove websites from this zone. All websites in this zone will use the zone's security settings.' Below this, there is a section 'Add this website to the zone:' with an empty text input field and an 'Add' button. Underneath is a 'Websites:' list box containing 'http://camsii' and a 'Remove' button. At the bottom, there is a checkbox labeled 'Require server verification (https:) for all sites in this zone' which is unchecked. A 'Close' button is located at the bottom right.</p>
<p>7.</p>	<p>Click Custom level...</p>	 <p>The screenshot shows the 'Internet Properties' dialog box with the 'Security' tab selected. It displays four security zones: Internet, Local intranet, Trusted sites, and Restricted sites. The 'Trusted sites' zone is highlighted with a green checkmark. Below the zone selection, there is a 'Trusted sites' section with a green checkmark and the text: 'This zone contains websites that you trust not to damage your computer or your files. You have websites in this zone.' A 'Sites' button is next to this text. Below that, the 'Security level for this zone' is set to 'Custom'. The 'Custom' section contains the text: 'Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level.' The 'Custom level...' button is circled in blue. At the bottom, there are 'OK', 'Cancel', and 'Apply' buttons, and a 'Reset all zones to default level' button.</p>

<p>8.</p>	<p>The Security Settings –Trusted Sites Zone appears.</p> <p>From the Reset drop- down box, select Low.</p>	 <p>The screenshot shows the 'Security Settings - Trusted Sites Zone' dialog box. The 'Settings' list includes: .NET Framework, Loose XAML (Enable), XAML browser applications (Enable), XPS documents (Enable), and .NET Framework-reliant components (Disable). At the bottom, the 'Reset custom settings' section has a dropdown menu set to 'Low' and a 'Reset...' button. The 'OK' and 'Cancel' buttons are at the bottom right.</p>
<p>9.</p>	<p>Scroll to the <i>ActiveX controls and plug-ins</i> section.</p> <p>Ensure that all items under this heading are set to Enable.</p> <p>NOTE: More items exist than appear on one screen. Scroll to see the rest of the items.</p>	 <p>The screenshot shows the 'Security Settings - Trusted Sites Zone' dialog box with the 'ActiveX controls and plug-ins' section selected. The following items are listed with their 'Enable' radio buttons circled in blue: 'Allow previously unused ActiveX controls to run without prompt' (Enable), 'Allow Scriptlets' (Enable), 'Automatic prompting for ActiveX controls' (Enable), and 'Binary and script behaviors' (Enable). The 'Reset to:' dropdown is still set to 'Low'.</p>

<p>10.</p>	<p>Scroll to the <i>Miscellaneous</i> section.</p> <p>Ensure that Access data sources across domains is set to Enable.</p> <p>When you're finished, click OK.</p>	 <p>The screenshot shows the 'Security Settings - Trusted sites Zone' dialog box. Under the 'Settings' section, the 'Miscellaneous' category is selected. The 'Access data sources across domains' option is set to 'Enable' and is circled in blue. Other options include 'Font download', 'Allow META REFRESH', and 'Allow scripting of Internet Explorer Webbrowser control'. At the bottom, the 'Reset to:' dropdown is set to 'Medium (Default)', and the 'OK' button is circled in blue.</p>
<p>11.</p>	<p>Click Yes to apply the changes.</p>	 <p>The screenshot shows a 'Warning!' dialog box with a yellow warning icon. The text inside asks, 'Are you sure you want to change the settings for this zone?'. The 'Yes' button is circled in blue.</p>

<p>12.</p>	<p>On the Internet Properties properties sheet, click the Advanced tab and scroll to the Reuse windows for launching shortcuts... option.</p> <p>Click the check box to remove check mark.</p> <p>Click the OK when you're finished.</p>	 <p>The screenshot shows the 'Internet Properties' dialog box with the 'Advanced' tab selected. The 'Settings' list includes various options, with 'Reuse windows for launching shortcuts (when tabbed browsing is off)' highlighted by a red box. Below the list, there are buttons for 'Restore advanced settings', 'Reset...', 'OK', 'Cancel', and 'Apply'. The 'OK' button is also highlighted with a red box.</p>
<p>13.</p>	<p>Close the Control Panel window.</p>	