




Internet Explorer® Version 7 Settings for CAMS-ii


Use these settings to configure Internet Explorer Version 7 to use CAMS-ii on a PC workstation.



| | | |
|----|--|---|
| 1. | <p>Click Start > Control Panel.</p> <p>Double-click the Internet Options icon.</p> | |
| 2. | <p>The Internet Properties property sheet appears.</p> <p>Locate the <i>Browsing History</i> section</p> <p>Click Settings.</p> |  <p>The screenshot shows the 'Internet Properties' dialog box with the 'General' tab selected. The 'Browsing history' section is highlighted with a red box around the 'Settings' button. The 'Settings' button in the 'Browsing history' section is highlighted with a red box. The 'Settings' button in the 'Search' section is also highlighted with a red box. The 'Settings' button in the 'Tabs' section is also highlighted with a red box. The 'Settings' button in the 'Appearance' section is also highlighted with a red box. The 'Settings' button in the 'Browsing history' section is highlighted with a red box. The 'Settings' button in the 'Search' section is also highlighted with a red box. The 'Settings' button in the 'Tabs' section is also highlighted with a red box. The 'Settings' button in the 'Appearance' section is also highlighted with a red box.</p> |

| | | |
|-----------|---|---|
| <p>3.</p> | <p>The Internet Files and History Settings appears.</p> <p>Click the Every time I visit the webpage option button.</p> <p>Click OK.</p> |  <p>The screenshot shows the 'Temporary Internet Files and History Settings' dialog box. In the 'Temporary Internet Files' section, the 'Every time I visit the webpage' radio button is selected and highlighted with a blue box. Below it are three other radio buttons: 'Every time I start Internet Explorer', 'Automatically', and 'Never'. A 'Disk space to use' dropdown is set to '1024'. The 'Current location' is 'C:\Documents and Settings\carl\Local Settings\Temporary Internet Files\'. There are three buttons: 'Move folder...', 'View objects', and 'View files'. In the 'History' section, 'Days to keep pages in history' is set to '20'. At the bottom, the 'OK' button is highlighted with a blue box.</p> |
|-----------|---|---|

4. Click the **Security** tab, the **Internet zone** symbol, and **Custom level ...**




| | | |
|-----------|--|--|
| <p>5.</p> | <p>Scroll to the Downloads section. Ensure that all three download categories are set to Enable.</p> <p>Click OK.</p> |  <p>The screenshot shows the 'Security Settings - Internet Zone' dialog box. Under the 'Downloads' section, the following settings are visible:</p> <ul style="list-style-type: none">Script ActiveX controls marked safe for scripting*: <input checked="" type="radio"/> EnableAutomatic prompting for file downloads: <input checked="" type="radio"/> EnableFile download: <input checked="" type="radio"/> EnableFont download: <input checked="" type="radio"/> Enable <p>The 'OK' button at the bottom right is highlighted with a red box.</p> |
|-----------|--|--|


| | | |
|-----------|--|---|
| <p>6.</p> | <p>The Internet Properties property sheet re-appears.</p> <p>In the Security tab. Click the Trusted sites to highlight it.</p> <p>Click Sites.</p> <p>.</p> |  <p>The screenshot shows the 'Internet Properties' dialog box with the 'Security' tab selected. The 'Trusted sites' icon is highlighted with a blue box. Below it, the 'Trusted sites' section is visible, including a 'Sites' button. The 'Restricted sites' icon is also visible.</p> |
| <p>7.</p> | <p>The Trusted Sites screen appears.</p> <p>Click Require server verification (https:) for all sites in this zone check box to remove the check.</p> <p>Click in the Add this website to the zone" text box.</p> <p>Type <code>http://camsii</code>.</p> <p>Click Add.</p> |  <p>The screenshot shows the 'Trusted sites' dialog box. The 'Require server verification (https:) for all sites in this zone' checkbox is unchecked. The 'Add this website to the zone:' text box contains 'http://camsii'. The 'Add' button is highlighted.</p> |



8. Your screen should look like this, with the `http://camsii` in the Websites text box.



Click **Close**.




9. Click **Custom level...**



| | | |
|------------|---|---|
| <p>10.</p> | <p>The Security Settings –Trusted Sites Zone appears.</p> <p>From the Reset drop- down box, select Low.</p> |  <p>The screenshot shows the 'Security Settings - Trusted Sites Zone' dialog box. The 'Settings' list includes: .NET Framework, Loose XAML (Enable), XAML browser applications (Enable), XPS documents (Enable), and .NET Framework-reliant components (Disable). At the bottom, the 'Reset custom settings' section has a dropdown menu set to 'Low' and a 'Reset...' button. The 'OK' and 'Cancel' buttons are at the bottom right.</p> |
| <p>11.</p> | <p>Scroll to the <i>ActiveX controls and plug-ins</i> section.</p> <p>Ensure that all items under this heading are set to Enable.</p> <p>NOTE: More items exist than appear on one screen. Scroll to see the rest of the items.</p> |  <p>The screenshot shows the 'Security Settings - Trusted Sites Zone' dialog box with the 'ActiveX controls and plug-ins' section selected. The following items are set to 'Enable' and circled in red: 'Allow previously unused ActiveX controls to run without prompt', 'Allow Scriptlets', 'Automatic prompting for ActiveX controls', and 'Binary and script behaviors'. The 'Reset to:' dropdown is set to 'Low'. The 'OK' and 'Cancel' buttons are at the bottom right.</p> |

| | | |
|------------|--|---|
| <p>12.</p> | <p>Scroll to the <i>Miscellaneous</i> section.</p> <p>Ensure that Access data sources across domains is set to Enable.</p> <p>When you're finished, click OK.</p> |  <p>The screenshot shows the 'Security Settings - Trusted sites Zone' dialog box. Under the 'Settings' section, the 'Miscellaneous' category is selected. The 'Access data sources across domains' option is set to 'Enable' and is circled in blue. Other options include 'Font download', 'Allow META REFRESH', and 'Allow scripting of Internet Explorer Webbrowser control'. At the bottom, the 'Reset custom settings' section shows 'Reset to: Medium (Default)' and a 'Reset' button. The 'OK' button is circled in blue.</p> |
| <p>13.</p> | <p>Click Yes to apply the changes.</p> |  <p>The screenshot shows a 'Warning!' dialog box with a yellow warning icon. The text asks 'Are you sure you want to change the settings for this zone?'. There are two buttons: 'Yes' and 'No'. The 'Yes' button is circled in blue.</p> |

| | | |
|------------|---|--|
| <p>14.</p> | <p>On the Internet Properties properties sheet, click the Advanced tab and scroll to the Reuse windows for launching shortcuts... option.</p> <p>Click the check box to remove check mark.</p> <p>Click the OK when you're finished.</p> |  <p>The screenshot shows the 'Internet Properties' dialog box with the 'Advanced' tab selected. The 'Settings' list includes various options, with 'Reuse windows for launching shortcuts (when tabbed browsing is off)' highlighted by a red rectangular box. Below the list, the 'OK' button is also highlighted with a red rectangular box. Other visible options include 'Disable script debugging (Internet Explorer)', 'Enable FTP folder view', and 'Show friendly HTTP error messages'.</p> |
| <p>15.</p> | <p>Close the Control Panel window.</p> | |

Trademarks

Microsoft, Windows, ActiveX, and Internet Explorer are either trademarks or registered trademarks of the Microsoft Corporation in the United States and/or other countries.